RET/14/Test B

658

Community Medicine

		Question Booklet No	
14	(To be filled up by the ca	andidate by blue/black ball-point pen)	
Roll No.			
Roll No. (Writ	e the digits in words)		
Serial No. of	OMR Answer Sheet	***************************************	/ # • •
Day and Date	***************************************	(Signature of Invigilator)	

INSTRUCTIONS TO CANDIDATES

(Use only blue/black ball-point pen in the space above and on both sides of the Answer Sheet)

- 1. Within 10 minutes of the issue of the Question Booklet, Please ensure that you have got the correct booklet and it contains all the pages in correct sequence and no page/question is missing. In case of faulty Question Booklet, bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh Question Booklet.
- 2. Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
- 3. A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided.
- 4. Write your Roll Number and Serial Number of the Answer Sheet by pen in the space provided above.
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
- 6. No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and Roll No. and OMR sheet No. on the Question Booklet.
- 7. Any changes in the aforesaid-entries is to be verified by the invigilator, otherwise it will be taken as unfair means.
- 8. This Booklet contains 40 multiple choice questions followed by 10 short answer questions. For each MCQ, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by pen as mentioned in the guidelines given on the first page of the Answer Sheet. For answering any five short Answer Questions use five Blank pages attached at the end of this Question Booklet.
- **9.** For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero marks).
- 11. For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
- 12. Deposit both OMR Answer Sheet and Question Booklet at the end of the Test.
- 13. You are not permitted to leave the Examination Hall until the end of the Test.
- 14. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

Total No. of Printed Pages: 15

FOR ROUGH WORK

Research Entrance Test – 2014

No. of Questions: 50

Time: 2 Hours

Full Marks: 200

Note: (i) This Question Booklet contains 40 Multiple Choice Questions followed by 10 Short Answer Questions.

- (ii) Attempt as many MCQs as you can. Each MCQ carries 3 (Three) marks. 1 (One) mark will be deducted for each incorrect answer. Zero mark will be awarded for each unattempted question. If more than one alternative answers of MCQs seem to be approximate to the correct answer, choose the closest one.
- (iii) Answer only 5 Short Answer Questions. Each question carries 16 (Sixteen) marks and should be answered in 150-200 words. Blank 5 (Five) pages attached with this booklet shall only be used for the purpose. Answer each question on separate page, after writing Question No.

Com	munity Medicine		Code No. : 658
1.	Decrease in biodiversity in tropical con	untries is mainly due to	
	(1) Urbanization	(2) Deforestation	
	(3) Pollution	(4) Soil erosion	
2.	Where does glycolysis occur in a cell?		
	(1) Chloroplast (2) Mitochondria	(3) Cytoplasm (4) Golgi body
3.	The process that accounts for transfer RNA is called as:	er of genetic informatio	on from DNA to
	(1) Translocation (2) Translation	(3) Transformation (4) Transcription
4.	Leydig's cells produce :		
	(1) Thyroxine	(2) Growth hormone	
	(3) Testosterone	(4) Progesterone	
5.	A tumor suppressor gene which is kno	genome" is :	
	(1) myc (2) P^{53}		H-Ras
6.	Which is the function of interleukins?		
	(1) Stimulation of wound healing		
	(2) Treatment of infertility		
	(3) Dissolving blood clot		
	(4) Enhancement of action of immune	system	
7.	Which of the following is <i>not</i> an antico	agulant ?	
	(1) Heparin	(2) Protamine sulpha	te
	(3) Warfarin	(4) Hirudin	
8.	Which of the following is not a part of t	triple response ?	
	(1) White reaction (2) Red reaction	(0)) Flare
RET/14	1/Test B/658 (2)		

9.	Virus envelope is k	nown as :			8	
	(1) Capsid	(2) Virior	(3)	Nucleoprotein	(4) Core	
10.	Peptide synthesis i	nside a cell	takes place in	:		
	(1) Mitochondria	(2) Chlor	oplast (3)	Ribosomes	(4) Chromo	plast
11.	All the following are health policy indicators except:				ĝ0	
	(1) Political commitment to health for all					
	(2) Resource allocation					
*	(3) Disability prev	alence				
**	(4) Community in	volvement				
12.	2. Most sensitive parameter of combined paediatric & Obstetric care in our country is:				in our	
, 5	(1) Peri-natal mor	tality rate	(2	Neonatal morta	ality rate	
	(3) Infant mortalit	y rate	(4) Post Neonatal 1	mortality rate	2
13.	Strength of sewage is expressed in terms of:					
	(1) E-Coli Count		(2)	Suspended par	ticles	
	(3) Chemical oxyg	gen demand	(4)	Biological Oxy	gen demand	
14.	Measures involved	l in sentinel	surveillance	includes all the f	ollowing exc	ept :
î S	(1) Identifying mi	ssing cases	in notification	of diseases		
}	(2) Identifying ne	w cases of i	nfection			
	(3) Identifying old	ł & new cas	es			
	(4) Identifying cas	ses free of d	isability			
15.	The more promising	g managem	ent technique	tool for applicati	on in health f	ield is:
	(1) Cost effective	analysis	(2)	Cost benefit an	nalysis	
	(3) Cost accounting	ng	(4)	Input output a	nalysis	
RET/1	4/Test B/658		(3)			P. T. O.

16.	In a randomized clinical trial, the esser	ntial purpose of randomization is:	
	(1) To make the study double blinding		
	(2) To decrease the follow- up period		
	(3) To eliminate the selection bias		
	(4) To decrease the sample size		
17.	Savlon contains:		
	(1) Chlorhexidine and chlorxylenol	(2) Cetavlon and chlorhexidine	
	(3) Cetavlon and habitane	(4) Hibitane and chlorxylenol	
40			
18.	Declaration of Global eradication of sn	2000 COMP. 15 15	
	(1) 26 th Oct,1977	(2) 8 th May 1980	
	(3) 17 th March 1980	(4) 17 th April 1977	
19.	Following are the control measures of	measles except :	
	(1) Isolation of 7 days after rash		
	(2) Immunization of the contacts with	in 7 days	
	(3) Immunization at the beginning of	the epidemic	
	(4) Immunoglobulin instead of vaccin	e	
20.	Congenital malformation are more con	nmon if rubella infection occurs during	
	(1) 1 st and 2 nd month of pregnancy	union if rubena fillection occurs during	
	(2) 3 rd and 4 th month of pregnancy		
	(3) 5 th and 6 th month of pregnancy		
	(4) 7 th and 8 th month of pregnancy		
20 83	7		
21.	Which is <i>not</i> true for cohort study:		
	(1) Costly and time consuming	(2) Suffer with attrition problem	
	(3) Conducted for rare disease	(4) Can calculate incidence rate	
BET/1	4/Test B/658 (4)		
	4/ Test B/658 (4)		

(4)

True statement regarding	g Japanese encep	hali	tis is:			
(1) 70% of cases are repo	orted from infant	S				
(2) Rate of clinical apparent to non apparent infections is 1:100						
(3) Mosquito bite is always	ays associated w	ith 1	the disease			
(4) Epidemic is declared	if there are 2-3 c	case	s in a village		***	
Quarantine was first app	lied for :					
(1) HIV/AIDS (2)	Tuberculosis	(3)	Leprosy	(4)	Plague	
James Lind is related to t	the discovery of	:	28			
(1) Prevention of Scurvy	1	(2)	Pathagenesis of	scui	rvy	
(3) Cause of scurvy		(4)	All			
Target year for eliminati	on of lymphatic	fila	riasis in India is	:		
(1) 2010 (2)	2015	(3)	2020	(4)	2012	
Expectation of life, free of	of disability is me	eası	ared by :			
(1) Smith's index (2)	Park's index	(3)	Sullivan index	(4)	Life inde	ex
Chandler's index is used	l for:					
(1) Ankyclostoma duod	lenale	(2)	Ascaris lumbrio	coid	es	
(3) Stongyloides		(4)	Trichuris trichu	ıra		
Best index of recent tran	smission of mala	aria	is:			
(1) Annual parasite ind	ex	(2)	ABER			
(3) Splenic rate		(4)	Infant parasite	rate		
				er ch	nild is 3 n	nonths
				for 3	months	
		(4)	INH 5 mg/Kg	for (6 months	
14/Test B/658	(5)					P. T. O.
	(1) 70% of cases are reports. (2) Rate of clinical apparts. (3) Mosquito bite is always. (4) Epidemic is declared. Quarantine was first app. (1) HIV/AIDS (2) James Lind is related to	(1) 70% of cases are reported from infant (2) Rate of clinical apparent to non appa (3) Mosquito bite is always associated w (4) Epidemic is declared if there are 2-3 of Quarantine was first applied for: (1) HIV/AIDS (2) Tuberculosis James Lind is related to the discovery of (1) Prevention of Scurvy (3) Cause of scurvy Target year for elimination of lymphatic (1) 2010 (2) 2015 Expectation of life, free of disability is m (1) Smith's index (2) Park's index Chandler's index is used for: (1) Ankyclostoma duodenale (3) Stongyloides Best index of recent transmission of mal. (1) Annual parasite index (3) Splenic rate A lactating women has sputum positive old. What is the recommended chemopic (1) INH 3mg/Kg for 3 months (3) INH 3 mg/Kg for 6 months	(1) 70% of cases are reported from infants (2) Rate of clinical apparent to non apparent (3) Mosquito bite is always associated with (4) Epidemic is declared if there are 2-3 case Quarantine was first applied for: (1) HIV/AIDS (2) Tuberculosis (3) James Lind is related to the discovery of: (1) Prevention of Scurvy (2) (3) Cause of scurvy (4) Target year for elimination of lymphatic filat (1) 2010 (2) 2015 (3) Expectation of life, free of disability is measu (1) Smith's index (2) Park's index (3) Chandler's index is used for: (1) Ankyclostoma duodenale (2) (3) Stongyloides (4) Best index of recent transmission of malaria (1) Annual parasite index (2) (3) Splenic rate (4) A lactating women has sputum positive tut old. What is the recommended chemoproph (1) INH 3mg/Kg for 3 months (2) (3) INH 3 mg/Kg for 6 months (4)	(2) Rate of clinical apparent to non apparent infections is 1: (3) Mosquito bite is always associated with the disease (4) Epidemic is declared if there are 2-3 cases in a village Quarantine was first applied for: (1) HIV/AIDS (2) Tuberculosis (3) Leprosy James Lind is related to the discovery of: (1) Prevention of Scurvy (2) Pathagenesis of (3) Cause of scurvy (4) All Target year for elimination of lymphatic filariasis in India is (1) 2010 (2) 2015 (3) 2020 Expectation of life, free of disability is measured by: (1) Smith's index (2) Park's index (3) Sullivan index Chandler's index is used for: (1) Ankyclostoma duodenale (2) Ascaris lumbrid (3) Stongyloides (4) Trichuris trichum Best index of recent transmission of malaria is: (1) Annual parasite index (2) ABER (3) Splenic rate (4) Infant parasite A lactating women has sputum positive tuberculosis and he old. What is the recommended chemoprophylaxis? (1) INH 3mg/Kg for 3 months (2) INH 5mg/Kg (3) INH 5 mg/Kg (4) INH 5 mg/Kg	(1) 70% of cases are reported from infants (2) Rate of clinical apparent to non apparent infections is 1:100 (3) Mosquito bite is always associated with the disease (4) Epidemic is declared if there are 2-3 cases in a village Quarantine was first applied for: (1) HIV/AIDS (2) Tuberculosis (3) Leprosy (4) James Lind is related to the discovery of: (1) Prevention of Scurvy (2) Pathagenesis of scur (3) Cause of scurvy (4) All Target year for elimination of lymphatic filariasis in India is: (1) 2010 (2) 2015 (3) 2020 (4) Expectation of life, free of disability is measured by: (1) Smith's index (2) Park's index (3) Sullivan index (4) Chandler's index is used for: (1) Ankyclostoma duodenale (2) Ascaris lumbricoide (3) Stongyloides (4) Trichuris trichura Best index of recent transmission of malaria is: (1) Annual parasite index (2) ABER (3) Splenic rate (4) Infant parasite rate A lactating women has sputum positive tuberculosis and her chold. What is the recommended chemoprophylaxis? (1) INH 3mg/Kg for 3 months (2) INH 5mg/Kg for 3 (3) INH 3 mg/Kg for 6 months (4) INH 5 mg/Kg for 6	(1) 70% of cases are reported from infants (2) Rate of clinical apparent to non apparent infections is 1:100 (3) Mosquito bite is always associated with the disease (4) Epidemic is declared if there are 2-3 cases in a village Quarantine was first applied for: (1) HIV/AIDS (2) Tuberculosis (3) Leprosy (4) Plague James Lind is related to the discovery of: (1) Prevention of Scurvy (2) Pathagenesis of scurvy (3) Cause of scurvy (4) All Target year for elimination of lymphatic filariasis in India is: (1) 2010 (2) 2015 (3) 2020 (4) 2012 Expectation of life, free of disability is measured by: (1) Smith's index (2) Park's index (3) Sullivan index (4) Life index Chandler's index is used for: (1) Ankyclostoma duodenale (2) Ascaris lumbricoides (3) Stongyloides (4) Trichuris trichura Best index of recent transmission of malaria is: (1) Annual parasite index (2) ABER (3) Splenic rate (4) Infant parasite rate A lactating women has sputum positive tuberculosis and her child is 3 mold. What is the recommended chemoprophylaxis? (1) INH 3mg/Kg for 3 months (3) INH 3 mg/Kg for 6 months (4) INH 5 mg/Kg for 6 months

RET/14/Test B/658

30.	True about citrate in ORS is:	
	(1) Increases self life	(2) Nutritious
	(3) Cheaper	(4) Tastier
31.	All of the following are Age independent intritional assessment EXCEPT.	ndent anthropometric measurement of
	(1) Body Mass Index (BMI)	(2) Mid Arm Circumference
	(3) Hip Waist Ratio	(4) Head and Chest circumference
32.	Which nutrients demand increased duri	ng Lactation but not during pregnancy?
	(1) Vitamin A (2) Protein	(3) Calcium (4) Thiamine
33.	Best method for evaluation of quality o	f protein :
	(1) Biological Value	(2) Net Protein Utilization
	(3) Protein efficiency Ratio	(4) Digestibility coefficient
34.	Conditional Essential amino acids are:	
	(1) Leucine & Lysine	(2) Histidine & Arginine
	(3) Phenylalanine & Tryptophan	(4) Tyrosine & Cystine
35.	Twin fortified Salt contain	
	(1) Iodine & Fluorine	(2) Iodine & Vitamin A
	(3) Iodine & Calcium	(4) Iodine & Iron
36.	Lathyrisum by consuming Khesari dal o	can be prevented by which process.
	(1) Parboiling (2) Heating	(3) Soaking (4) Filtration
37.	The widely accepted definition of horganization (1948) in the preamble to <i>not</i> its component:	ealth is that given by world health its constitution, one of the following is
	(1) Physical health	(2) Lingual health
	(3) Mental health	(4) Social health

(6)

RET/14/Test B/658

38.	The parallel term for st		ed in United Nat	tions documents is
#####################################	(1) 11 components (2)		7 components	(4) 5 components
39.	The physical quality of	life index does <i>not</i> o	consolidate the fo	llowing indicator:
	(1) Occupation	(2)	Literacy	
	(3) Infant mortality	(4)	Life expectancy	at age one
40.	The demographic inforstates that the death rat			ed. A recent report
	(1) 7.2 (2)	9.2 (3) 11.2	(4) 13.2
Atten	ipt any five questions.	Write answer in 15	0-200 words. Ea	ch question carries
16 ma	rks. Answer each questi	on on separate page	, after writing Qi	uestion Number.
1.	Define bridge populati	on & its role in spre	ad of HIV/AIDS.	
2.	Community Need Assessment Approach (CNAA).			
3.	RMNCH+A.			
4.	What is social marketing	ng & its role in natio	nal health progra	ims.
5.	Give a brief account of	Millennium Develo	pment Goals in I	ndian context.
6.	Describe various strate	gies for control of Ja	apanese encephal	itis.
7.	Method of evaluation of	of Protein quality.		
8.	Scheme for adolescent	girls (Kishori Shakt	i Yojana).	
9.	Epidemic Dropsy.			
10.	Presumptive Coliform	Test.		
3				

(7)

RET/14/Test B/658

P. T. O.

Dall Ma .	***************************************		
NULL IVO. :			
~~~			

R	loll No.:	
- 7		
20	4	
×.	à :	

** ** **	
ROLL NA	
INDII IND.	
	* *************************************

Roll No.:	

Roll No.:	
	MARKO CERROR - CEREBY - MACCONDICTOR - STORE CONTRACTOR - MARKO CERTOR - STORE

# FOR ROUGH WORK