-		14 4	#P7077		-
К	H; I '	/14/	ľe	ct	KI.
_				St.	<b>~</b>

603

Prasuti Tantra

				Questio	on Booklet No
	(To be fille	ed up by the	candidate	by <b>blue</b>	v/black ball-point pen)
Roll No.					
Roll No. (W	rite the digits	in words)			
Serial No. o	f OMR Answe	r Sheet		************	
Day and Da	te	•••••••	************		(Signature of Invigilator)

## INSTRUCTIONS TO CANDIDATES

(Use only bitse/black ball-point pen in the space above and on both sides of the Answer Sheet)

- 1. Within 10 minutes of the issue of the Question Booklet, Please ensure that you have got the correct booklet and it contains all the pages in correct sequence and no page/question is missing. In case of faulty Question Booklet, bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh Question Booklet.
- 2. Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
- 3. A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided.
- **4.** Write your Roll Number and Serial Number of the Answer Sheet by pen in the space provided above.
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
- 6. No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and Roll No. and OMR sheet No. on the Question Booklet.
- 7. Any changes in the aforesaid-entries is to be verified by the invigilator, otherwise it will be taken as unfair means.
- 8. This Booklet contains 40 multiple choice questions followed by 10 short answer questions. For each MCQ, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by pen as mentioned in the guidelines given on the first page of the Answer Sheet. For answering any five short Answer Questions use five Blank pages attached at the end of this Question Booklet.
- **9.** For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero marks).
- 11. For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
- 12. Deposit both OMR Answer Sheet and Question Booklet at the end of the Test.
- 13. You are not permitted to leave the Examination Hall until the end of the Test.
- 14. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

Total No. of Printed Pages: 15

## FOR ROUGH WORK

## Research Entrance Test - 2014

No. of Questions: 50

Time: 2 Hours Full Marks: 200

Note: (i) This Question Booklet contains 40 Multiple Choice Questions followed by 10 Short Answer Questions.

- (ii) Attempt as many MCQs as you can. Each MCQ carries 3 (Three) marks.

  1 (One) mark will be deducted for each incorrect answer. Zero mark will be awarded for each unattempted question. If more than one alternative answers of MCQs seem to be approximate to the correct answer, choose the closest one.
- (iii) Answer only 5 Short Answer Questions. Each question carries 16 (Sixteen) marks and should be answered in 150-200 words. Blank 5 (Five) pages attached with this booklet shall only be used for the purpose. Answer each question on separate page, after writing Question No.

Prasu	iti Tani	tra			Activ 190				Code No. : <b>603</b>
1.	The fo	remost expor	ınde	r of Ayurve	da is	:			
	(1) In	dra	(2)	Brahma		(3)	Agnivesha	(4)	Dhanvantari
2.	Ayurv	eda is the up	avec	la of which	veda	?			
	(1). Ri	gveda	(2)	Samaveda		(3)	Atharvaveda	(4)	Yajurveda
3.	Which	is not a type	of S	haririka Do	sha 🔻				
	(1) Va	ata	(2)	Tama		(3)	Kapha	(4)	Pitta
4.	The la	tin name of A	mla	is:					
	(1) Er	nblica ribes				(2)	Embelia officia	nalis	
	(3) Er	nbelia ribes				(4)	Emblica officia	nalis	
5.	The si	xth step of As	htar	nga Yoga is				8	
		atyahara		Dhyana		(3)	Dharana	(4)	Samadhi
6.	World	l Health Orga	niza	tion day is	releh	rate	d on :		
		t March		7th April	cico		1st April	(4)	7th March
7.									7 dr March
			iatec	i with mana	igem		of which diseas	e ŗ	
		eprosy	200				Tuberculosis	¥ 4	
	(3) bi	onchial asthn	na			(4)	Whooping Co	ugh	
8.				y intake of \	/itan	nin A	A for an adult n	nan is	:
		0 micrograms				(2)	600 microgran	ns	
	(3) 95	0 micrograms	3			(4)	900 microgran	ns	
9.	The vi	tamin involve	ed ir	ı blood clott	ing p	oroc	ess is :		
	(1) Vi	tamin B	(2)	Vitamin K		(3)	Vitamin E	(4)	Vitamin A
10.	Which	one is the in	volu	ntary musc	ie <b>?</b>			or s	
	(1) Bi	ceps			p. <b>=</b> %	(2)	Deltoid		61
		ardiac muscle			٠	(4)	Trapezius		
RET/1	4/Test	B/603		(	2)				

11.	Yellow colour of corpus luteum is o	due to :
	(1) Cholesterol	(2) Carotene
	(3) Accumulation of fatty granules	s (4) Vitamin A lipofuscin
12.	Morula enters the uterine cavity on	1:
Wash of	(1) 2 <sup>nd</sup> day (2) 3 <sup>rd</sup> day	(3) 4th day (4) 5th day
13.	Complete failure of fusion of Mulle	erian ducts results in :
	(1) Uterine diadelphys	(2) Subseptate uterus
8	(3) Bicornuate uterus	(4) Absence of uterus
14.	Peak level of HCG in normal pregn	nancy occurs at :
		(3) 60-70 days (4) 100-110 days
15.	Compared with its adult weight the	e largest fetal organ is :
1	(1) Heart	(2) Adrenal cortex
ě	(3) Thymus	(4) Pituitary gland
16.	At which week of pregnancy Neura	al Tube Defect occurs :
	(1) 3-4 weeks	(2) 6-7 weeks
80	(3) 8-9 weeks	(4) 10-12 weeks
17.	Fetal blood is returned to the umbil	lical arteries and the placenta through the :
<b>.</b>	(1) Ductus arteriosus	(2) Ductus venosus
	(3) Foramen ovale	(4) Hypogastric arteries
18.	Pravridhya lingam upsevate is the	cause of yoni vyapad described by:
±	(1) Charak	(2) Hareet
- X	(3) Kashayap	(4) Sushruta
19.	According to Charak 'Shunasparsh	sraveta' infer to.
	(1) Acharna yoni vyapad	(2) Antarmukhi yoni vyapad
Ø	(3) Paripluta yoni vyapad	(4) Varnini yoni vyapad
RET/1	4/Test B/603	(3) P.T.O.

20.	According to Charak shopha, supti and	ruja	are the symptoms of :
	(1) Artva Kshaya	(2)	Asrigdara
	(3) Vataj Yonivyapad	(4)	Aticharna Yonivyapad
21.	Decoction of Patha is advised in Granth	ibhı	ıta Artava Dusti is described by
	(1) Charak	(2)	Hareet
	(3) Kashayap	(4)	Sushruta
22.	According to Vagbhatta Uttarbasti wit in:	h Ba	ala & Shireesha oil should be given
	(1) Yoni Daha	(2)	Yoni kandu
	(3) Yoni shool	(4)	Yoni Shopha
23.	"Mushti praharadibhir ardite ange" is th	ne ca	use of :
	(1) Raktarbuda (2) Medoarbuda	(3)	Vatarbuda (4) Mansajarbuda
24.	"Krishnasphotavrita shyavasteevra dah	ruja	jwara" are the lakshan of :
	(1) Agantuj stana-vidhradhi	(2)	Raktaj stana-vidhradhi
	(3) peeta vajra	(4)	Sannipataj stana-vidhradhi
25.	Palash ksharodkam and dash moola bas	sti is	indicated in :
	(1) Udavarta	(2)	Rakta gulma
	(3) Aticharna	(4)	Uppluta
26.	According to Acharya charak Yonichata	alatv	rama is the sign of :
	(1) Vyakta garbha		
	(2) Sadyo grahita garbha		
	(3) Prajayani		
	(4) Ritumati		
27.	"Vina pushpam tu ya nadi yathakalam	prar	nashyati" is related to :
	(1) Vikuta	(2)	Parisruta
	(3) Katambhara	(4)	Kalaratri

28.	Sunthi with Ajaksheera is given in:		
Judeb ST. A.	(1) Shiroroga	(2) Visamajwara	
. Proposition	(3) Trishna	(4) Udavarta	
29.	For cytohormonal study the most infor	ormative index is :	
	(1) Eosinophilic	(2) Karyopyknotic	
	(3) Cornification	(4) Maturation	
30.	Pearl index is related with:		
	(1) Contracted pelvis		
36	(2) Cervical condition during labor		
	(3) Contraceptive effectiveness		
· ·	(4) High risk of pregnan		
31.	Foetal post maturity is assessed by:		
2:	(1) Loss of sole feet	(2) Shiny skin	
3	(3) Loss of lanugo	(4) Enzyme assay	
32.	The most common complication of ecl	clampsia is :	
	(1) Renal failure	(2) Pulmonary oedema	
3) (8	(3) Cerebral haemorrhage	(4) Psycosis	
33.	Mittelschmerz syndrome is:		
	(1) Painful menstruation	(2) Painful ovulation	
# A	(3) Painful implantation	(4) Painful fertilization	
34.	During post partum haemorrhage int	nternal iliac ligation done at :	
	(1) Origin of internal iliac artery	9	
ż	(2) Anterior division of internal iliac	c artery	
	(3) Posterior division of internal iilia	ac artery	
	(4) Common iliac artery		
Å.	5 5		

In which type of breech presentation en	gag	ement takes place earliest		
(1) Frank	(2)	Complete		
(3) Knee	(4)	Footling		
Fetal hypoxia is always indicated by :				
(1) Late decelerations	(2)	Early decelerations		
(3) Late aceleration	(4)	Early accelerations		
B-Lynch compression Sutures are applied	ed o	n:		
(1) Ovary	(2)	Uterus		
(3) Cervix	(4)	Fallopian tubes		
Best procedure to diagnose CA Breast is	3:	er de		
(1) Fine needle aspiration cytology				
(2) Core needle biopsy				
(3) Excisional biopsy				
(4) Fine, Core and Excisional biopsy				
Fenton's Operation is advised in :				
(1) Small introitus by giving longdudinal incision				
(2) Large introitus by giving longdudin	al ir	ncision		
(3) Small introitus by giving transverse	inci	sion		
(4) Small introitus by giving longdudin	al in	cision		
	<ol> <li>(1) Frank</li> <li>(3) Knee</li> <li>Fetal hypoxia is always indicated by:</li> <li>(1) Late decelerations</li> <li>(3) Late aceleration</li> <li>B-Lynch compression Sutures are applied</li> <li>(1) Ovary</li> <li>(3) Cervix</li> <li>Best procedure to diagnose CA Breast is</li> <li>(1) Fine needle aspiration cytology</li> <li>(2) Core needle biopsy</li> <li>(3) Excisional biopsy</li> <li>(4) Fine, Core and Excisional biopsy</li> <li>Fenton's Operation is advised in:</li> <li>(1) Small introitus by giving longduding</li> <li>(2) Large introitus by giving longduding</li> <li>(3) Small introitus by giving transverse</li> </ol>	(3) Knee (4)  Fetal hypoxia is always indicated by:  (1) Late decelerations (2)  (3) Late aceleration (4)  B-Lynch compression Sutures are applied of  (1) Ovary (2)  (3) Cervix (4)  Best procedure to diagnose CA Breast is:  (1) Fine needle aspiration cytology  (2) Core needle biopsy  (3) Excisional biopsy  (4) Fine, Core and Excisional biopsy  Fenton's Operation is advised in:		

40.	PAD	test is	done for	
(A)				

- (1) Urinary incontinence
- (2) Bleeding Per vaginum
- (3) Pus discharge Per vaginum
- (4) Curdy discharge Per vaginum

Attempt any five questions. Write answer in 150-200 words. Each question carries 16 marks. Answer each question on separate page, after writing Question Number.

- 1. Artava Ativriddhi
- 2. Ayurvedic drugs useful in amenorrhoea
- 3. Chikitsa Sutra for Sutikaroga
- 4. Stankeelak
- 5. Sweta Prader
- 6. PNDT act
- 7. Hormone Replacement Therapy
- 8. Conditions placing the fetus at risk
- **9.** Management of pre-eclampsia
- 10. Management of IUD

Roll No.:	*******************	 ••		

Ro	77	MI	
KI	1.1	/ V/	1.

Roll No. :		

THE CASE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLU	
Rall No.:	CONTROL OF THE PROPERTY OF THE
Troit in the second	

Q. No.

P. T. O.

Roll No. :	is		

## FOR ROUGH WORK