# RET/14/Test B

614	Vikriti	Vigyana
-----	---------	---------

				Question Booklet No	••
and the second s	(To I	be filled up	by the candidat	te by blue/black ball-point pen)	
Roll No.					
Roll No. (V	Vrite the c	ligits in w	ords)		
Serial No.	of OMR A	nswer Sh	eet		
Day and D	ata		*************************		

#### INSTRUCTIONS TO CANDIDATES

(Use only blue/black ball-point pen in the space above and on both sides of the Answer Sheet)

- 1. Within 10 minutes of the issue of the Question Booklet, Please ensure that you have got the correct booklet and it contains all the pages in correct sequence and no page/question is missing. In case of faulty Question Booklet, bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh Question Booklet.
- 2. Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
- 3. A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided.
- 4. Write your Roll Number and Serial Number of the Answer Sheet by pen in the space provided above.
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Ouestion Booklet Number and the Set Number in appropriate places.
- 6. No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and Roll No. and OMR sheet No. on the Question Booklet.
- 7. Any changes in the aforesaid-entries is to be verified by the invigilator, otherwise it will be taken as unfair means.
- 8. This Booklet contains 40 multiple choice questions followed by 10 short answer questions. For each MCQ, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by pen as mentioned in the guidelines given on the first page of the Answer Sheet. For answering any five short Answer Questions use five Blank pages attached at the end of this Question Booklet.
- **9.** For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero marks).
- 11. For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
- 12. Deposit both OMR Answer Sheet and Question Booklet at the end of the Test.
- 13. You are not permitted to leave the Examination Hall until the end of the Test.
- 14. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

Total No. of Printed Pages: 15

## FOR ROUGH WORK

## Research Entrance Test - 2014

No. of Questions: 50

Time: 2 Hours

Full Marks: 200

Note: (i) This Question Booklet contains 40 Multiple Choice Questions followed by 10 Short Answer Questions.

- (ii) Attempt as many MCQs as you can. Each MCQ carries 3 (Three) marks. 1 (One) mark will be deducted for each incorrect answer. Zero mark will be awarded for each unattempted question. If more than one alternative answers of MCQs seem to be approximate to the correct answer, choose the closest one.
- (iii) Answer only 5 Short Answer Questions. Each question carries 16 (Sixteen) marks and should be answered in 150-200 words. Blank 5 (Five) pages attached with this booklet shall only be used for the purpose. Answer each question on separate page, after writing Question No.

1.	The foren	nost expoun	der	of Ayurveda is	-			
	(1) Indra	(2	2)	Brahma	(3)	Agnivesha	(4)	Dhanvantari
2.	Ayurveda	a is the upav	eda	a of which veda	?			
	(1) Rigve	eda			(2)	Samaveda		
	(3) Athai	rvaveda			(4)	Yajurveda	30	
3.	Which is	not a type o	f Sł	naririka Dosha ?				de .
	(1) Vata	(2	2)	Tama	(3)	Kapha	(4)	Pitta
4.	The latin	name of Am	ıla	is:				
	(1) Embl	lica ribes			(2)	Embelia officina	alis	*
	(3) Embe	elia ribes			(4)	Emblica officina	alis	
5.	The sixth	step of Ash	tan	ga Yoga is :				ž.
	(1) Praty	yahara (	2)	Dhyana	(3)	Dharana	(4)	Samadhi
6.	World H	ealth Organi	izat	tion day is celeb	rate	d on:		
	(1) 1st M	March (	2)	7th April	(3)	1st April	(4)	7th March
7.	DOTs str	rategy is rela	ted	with managem	ent (	of which disease	?	ž.
	(1) Lepr	rosy			(2)	Tuberculosis		
	(3) Bron	ichial asthma	ì		(4)	Whooping Cou	gh	
8.	The reco	mmended d	aily	y intake of Vitan	nin A	A for an adult m	an is	3:
	(1) 800 r	micrograms			(2)	600 microgram	s	
	(3) 950 r	micrograms			<b>(4)</b>	900 microgram	s	
9.				n blood clotting	<b>-</b> 2			
	(1) Vitai	min B	(2)	Vitamin K	(3)	Vitamin E	(4)	Vitamin A
10.	Which or	ne is the inv	olu	ntary muscle?				
	(1) Bice	•	(2)	Deltoid	(3)	Cardiac muscle	(4)	Trapezius
FET"/	A/Tact R/	61/		(2)				

ž.	at the second se						-		
11.	The naturally occurring Ma appropriate type of Hetu for K		Rasa	in	Hemanta	Ritu	is	the	most
	(1) Vyanjaka Hetu		(2)	Utp	adaka Het	u			
-17 -17-41-41-70	(3) Dosa Hetu		(4)	Vya	ıdhi Hetu				
12.	The type of Pandu Raga accord	ling to S	Sushrı	ıta :				AS	
	(1) Panchavidha		(2)	Triv	zidha				
	(3) Satvidha		(4)	Ast	ardhavidh	a			
13.	"तत् दुःखसंयोगा व्याधय उच्यन्ते" – In	n this st	ateme	nt of	Sushruta v	vhat m	ay b	e the	most
	appropriate definition for "दुःख"	from o	clinical	poir	nt of view?				*
	(1) दुःखं काय वाक् मानसी पीड़ा								
	(2) दुर्दुष्टानि खानि स्रोतांसि दुःखानि								
	(3) प्रतिकूल वेदनीयम् दुःखम्								
Ž	(4) विकारो दुःखमेव च								
14.	According to Charaka, amon cause for Vyadhisankara?	g the f	ollowi	ng,	which is t	he mo	st a	ppro	priate
	(1) Ekarthakari Nidanarthaka	ra roga	ï						
	(2) Upadrava								
	(3) Ekarthakari Nidanarthaka	ra roga	& Up	adra	va				
Š.	(4) Aparishuddha Prayoga							188	
15.	According to Charaka, the appropriately applicable to wh	princij nich typ	ple of se of K	tre rimi	atment "A s?	Apakar	sana	a" is	most
į.	(1) Malaja, Purishaja, Shlesma	aja							
	(2) Malaja, Purishaja, Shlesma		nitaja						
*	(3) Purishaja, Shlesmaja, Shor	nitaja					3		
\$ \$	(4) Purishaja, Shlesmaja	<b></b>							P. T. O
RET/	14/Test B/614	( 3	5)						1.1.0

	16.	Ma	itch	the pr	oced	ure of	Upas	haya in <b>col</b>	umr	ı A w	ith t	he a	ppli	cati	ion in	col	umi	n B
			Co	lumn	A					Col	umr	В						
			A.	Hetu	ı Vip	arita	*		1.	Prav	vaha	na i	n U	dav	arta			
			B.	Hetu	ı Vip	aritar	thakaı	ri	2.	Rati	ijag	arar	ıa in	Ka	pha d	due :	to	
	20									Div	asva	pna						
			C.	Vya	dhi V	'ipari	ta		3.				n Cl	nha	rdi to	) init	tiate	3
		83	_		11					Von		_						
			D.	Vya	dhi V	'ipari	tarthal	kari	4.		101 1770				ndra			
			E.	Ll'ab	. 37	AL: Y	7:: t	_	_			-			gdha			
		₹.	T	4.7			'iparit		5.	bna	yada	arsn	ana	ın '	Vataja	ı Un	mad	da
		Sel	ect t	he ap	prop	riate (	option	below:										
		(1)	A	В	C	D	E		(2)	A	В	C	D	Ε				
		2 2	5	4	2	3	1		()	2	5	1	4	3				
		(3)	Δ	В	C	D	E		(4)	A				257				
8		(0)	2	5	1	3	4		(4)	5 5	B 4	C 3	D 2	E	81			
			350 IV	J	*	3	7			3	4	3	2	1				
	17.							sease whic	h is	genei	ally	Kri	cchł	ıras	adhy	a fro	om i	the
		day	y of t	its ma	nites	tatior	1:											
		(1)	Ud	ara ro	ga				(2)	Prar	neha	<b>a</b>						
		(3)	Vis	arpa					(4)	Kus	tha				8)			
	18.	Wh	ich :	of the	follo	wino	henat	otropic vir	11666	ie na	at t <del>r</del> a	inen	sitta	dь	tr buns	-af	.i.a	. 7
			НА									111211					sion	l :
		(1)	1174	V		(2)	HBV		(3)	HCV	/			(4)	HG	7		
	19.	The	e mo	st con	nmoi	n site	for car	ncer of the	galll	oladd	ler is	S :						
		(1)	Fur	ndus					(2)	Body	V				V			
		(3)	Nec	ck						Cyst		uct						
	20.	TAZo	iaht	of ha		.1 . 1. •	· pp		. /	-,								
	4U.				amoş		in RB	C 15:										
	8	(1)	50%	o		(2)	70%		(3)	99%				(4)	90%			
R	EŤ/14	4/Te	st B	/614				(4)										

21.			0000 CO	pes (	of Ku	ıstha in	column	A	with	the	pred	dom	ina	nce of I	Oosa in
	colu								C.1.		D				
			umn					4	Colu						
40		<b>A</b> .	Kapa					1.	Vata	1975	30				
8		3.	Man					2.	Kap		'itta				
	(	<u>.</u>		ajihva	Ĺ			3.	Kap						
¥		).	Alas					4.	Vata						
	E	∃.	Punc	darika				5.	Vata	Pit	ta				
	Sele	ct tl	ne ap	propr	iate c	ption:									
Ŷ.	(1)	A	В	C	D	E		(2)	Α	В	C	D	E		
*		5	4	2	3	1			4	3	5	2	1		
¥	(3)	A	В	C	D	E		(4)	A	В	C	D	E		
		4	3	5	1	2			5	4	2	1	3		
22.	The	mo	st act	ive fo	rm o	Vitamir	nDis:								
70 7 N. W.				rocho				(2)	Ergo	oster	ol				
			- 5	oxy Vi			<b>6</b> 0	(4)	20 253233			oxy	Vita	amin D	
2.2			454) 11	-5 							5				
23.				luenz				(2)	TTEN	TO			(4)	1.113.10	
	(1)	H51	NI		(2)	H1N1		(3)	H5N	12			(4)	H1N2	
24.	The	foll	lowin	g is n	ot a c	omposit	ion of H	ayer	n's fl	uid 1	used	for	RB	C Count	:
	(1)	Gla	cial a	cetic	acid			(2)	Mer	curi	c chl	lorio	de		
	(3)	Soc	lium	chlori	.de			(4)	Sodi	ium	sulp	hat	e		
25.	Typ	hoi	d fevi	er is a	n exa	mple of	18								
	, ,			flamr		2000									
18	100					c inflam	mation								
							lammati	on				Ŷ			
						e inflan									
	(-)	<b>-</b> 11.	Conne	Jupp		8.									
26.	''प्रश	ाम्यर्	ते प्रोन	नमति प्र	ग्पीडित	η" is rela	ated to:								
	(1)	Ka	phaja	Shot	na			(2)							
	(3)	Va	ika Sł	notha				(4)	Abł	nigh	ataja	Sh	otha	1	
RET/1	4/Te	st E	3/614				(5)								P. T. O.

27.	According to Vagb	hata, the	type of Ash	mari	is Madhuvarna	or v	vhite :
	(1) Vataja	(2) Sh	ukrashmari	(3)	Paittika	(4)	Kaphaja
28.	The normal range	of Serun	uric Acid in	n ma	les is :		
	(1) 2.5-5.6 mg/dl			(2)	2.5-5.6 mg/dl		
	(3) 3.3.1-7.0 mg/d	11		(4)	3.1-7.0 mg/dl		
29.	Bhrama is manifes	ted by :					30
	(1) Tamah + Pitta		10°	(2)	Rajah + Vata		
	(3) Tamah + Vata			(4)	Tamah + Kapha	a	
30.	According to Char	aka all a	re the sympt	oms	of Asadhya Uda	ıra r	oga except :
	(1) शूनाक्षं	(2) तन्	25		गौरवं		कुटिलोपस्थम्
31.	Women receiving following cancers		en therapy h	ave	an increased ris	k of	developing the
	(1) Breast cancer	•		(2)	Endometrial ca	rcin	oma
	(3) Gallbladder ca	arcinoma	[1]	(4)	Hepatocellular	card	rinoma
32.	The ketone bodies	that can	be detected	in uı	rine except :		
	(1) Acetone			(2)	Acetoacetic aci	d	
	(3) Beta Hydroxy	butaric a	icid	(4)	Salycylic acid		
33.	Complete the foll word:	owing v	erse of Asta	nga	Hridaya with th	ne m	ost appropriate
	''वर्षाशरद्वसन्तेषु	वाताद्यैः प्राव	कृतः कमात्। वैव	कृतोऽन	यः स	प्रायश	च प्राकृतोऽनिलात्''
	(1) असाध्यः	(2) सा	ध्य:	(3)	सुसाध्यः	(4)	दुःसाध्यः
34.	The Kshudra roga	spreads	like Visarpa	:			
	(1) Jalgardabha			(2)	Gardabhika		
	(3) Pasanagardab	ha		(4)	Panasika		
35.	Drabkin's solution except:	n used to	estimate H	eme	oglobin contains	all	of the following
	(1) Sodium bicarl	oonate		(2)	Potassium cyar	nide	
	(3) Glacial acetic	acid		(4)	Potassium ferr	icya	nide
RET/1	14/Test B/614		(6)				

36.	Which of the follow	ving is member of M	ycob	acterium tuberc	ulos	is complex ?
x.	(1) Mycobacterium	bovis	(2)	Mycobacterium a	างเนา	11
2	(3) Mycobacterium	fortuitum	(4)	Mycobacterium o	chelo	ni
37.	According to Sushr	uta the duration of V	/atik	a Sannipata jvar	a is	:
	(1) 7 days	(2) 12 days	(3)	10 days	(4)	Indefinite
38.	In Dashavidha Pari	kshya Bhava, ''करण''	is:			
	(1) Bhisak	(2) Vyadhi	(3)	Ayu	(4)	Bhesaja
39.	The fever invading	the Dhatus is Sadhy	a ex	cept:		
3	(1) Rasa Dhatugata	a Jvara	(2)	Shukra Dhatug	ata J	vara
	(3) Rakta Dhatuga	ta Jvara	(4)	Meda Dhatuga	ta Jv	ara
40.	Absorption of iron	is enhanced by the fo	ollov	ving except :		
	(1) Ascorbic acid	(2) Citric acid	(3)	Tannates	(4)	Sugars
	ipt any five questio rks. Answer each qu					(ii)
1.	Give a brief accoun	t on serological diag	nosi	s of Typhoid fev	er.	
2.	Explain the hyperse	ensitivity reactions w	zith s	suitable example	es.	
3.		oles of HB% estima culation of Erythrocy			iemo	oglobin method
4.	Explain the concept	of Oja vis-a-vis Imn	nuni	ty.		
5.	Define Avarana, Cl	assify and discuss its	s clir	ical utility.		
6.	Explain the concept	of srotas in underst	andi	ng of disease.		
7.	Write Agni Bala Pa	riksha				
8.	Explain the relation	ship between hetu &	alak.	shana.		
9.	State the importance	e of study of "Arista	" in j	oresent context.		
10.	Clinical diagnosis o	or laboratory diagnos	sis, v	which is superior	'&W	hy ?
MET/1	4/Test B/614	(7)		35T)		P. T. O.

Roll No.:		
······································	 	

Roll No.:	

Roll No.:	

TY II ST	, 	
KOLLNO	•	
TANTITAN		

Roll	No	. :	***************************************			
ILUII	. 10	•	***************************************			

### **FOR ROUGH WORK**